

2-Channel AI In-Vehicle Box



—— Model No.: ADA42 ——

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Features

【Plug-and-Play】

Supports 2-channel SD/HD analog input & output, 2-channel independent audio alarm. Can be directly expanded on existing systems with easy installation.

【High Compatibility】

Works seamlessly with cameras of any housing type (AHD/CVBS), especially compact-sized models.

【Built-in AI Capabilities】

Equipped with BSD algorithms for real-time detection of pedestrians and vehicles, delivering instant driver alerts. Supports custom algorithm development to extend additional ADAS features as needed.

【Flexible Configuration】

Customizable detection zones, high/low-level trigger outputs, adjustable sensitivity, and more.

【Other Advantages】

No Image Interference, output format auto-follows input, supports external Wi-Fi module connection, multiple auto-upgrade methods.

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Specification

Video input	Dual-channel, supporting PAL/NTSC/720P/1080P.
Video Output	Dual-channel, supporting PAL/NTSC/1080P.
Audio Input	Alarm Signal Output
Communication Interfaces	USB 2.0
Input Voltage	DC 10~32V
Power Consumption (12V IN)	18W
Trigger Input	2 Channels
Trigger Output	2 Channels
Algorithm	BSD
Operating Temperature	-20~+70℃
Storage Temperature	-30~+80℃
Waterproof	Non-waterproof

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com

