

## 1080P 30x zoom camera & wireless monitoring camera for crane



—— Model No.: HDW845 ——

### **STONKAM CO., LTD**

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Features

### 【30X Zoom】

Optical 30x zoom mechanism, shockproof structure, capable of clear monitoring of distant targets

### 【Flexible Zooming】

Support flexible zoom control via foot pedal and manual focus via touch screen, improving camera working efficiency

### 【AI Pedestrian Detection】

Real time detection of pedestrians around the lifting goods to avoid accidents during operation

### 【300M Transmission Distance】

Meet the requirements for long-distance video transmission of lifting machinery and cranes

### 【50M Night Distance】

Equipped with 4 high-power infrared lights, ensuring 50 meter high-definition night vision for night-time site operation

### 【IP69K Waterproof】

works under all weather considtions, even in in rain or snow

### 【 Quick and Easy Pairing 】

Pairing is only needed for the first time, and both automatic and manual pairing are supported

## STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Specification

|                       |                                |
|-----------------------|--------------------------------|
| Image Device          | 1/2.9" CMOS SENSOR             |
| Wireless Transmission | built-in 2.4G wireless emitter |
| Transmission Power    | 20dBm                          |
| Transmission Distance | 200-300m                       |
| Operation Frequency   | 2408 ~ 2478MHZ                 |
| Resolution            | 1080P                          |
| Effective Pixels      | 1920(H) X1080(V)               |
| Optical Zoom          | 30X                            |
| Lens Length           | 4.85 ~ 138.66mm                |
| Aperture Value        | 1.65(W) ~ 4.70(T)              |
| Horizontal Angle      | 57.69°(W) ~ 2.2°(T)            |
| Visible Distance      | 5-200m                         |
| Focalization Mode     | Auto focus                     |
| IR-Cut Function       | Auto Switch                    |
| Night Vision Distance | 50m                            |
| Waterproof Rating     | IP69K                          |
| Power Supply          | DC10 ~ 32V                     |
| Operating Temperature | -20℃ ~ 70℃                     |
| Anti-vibration        | ISO 16750-3 2012 (5.9G)        |
| Dimension             | 220(W) x 110(H) x 106(D) mm    |

### STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)

