

# 12.3-inch Intelligent Electronic Rearview Mirror System (UN ECE R46)

**R46**



—— Model No.: HD250RS FHD846 ——

## **STONKAM CO., LTD**

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Features

### 【UN ECE R46-Compliant Solution】

STONKAM 12.3-inch Intelligent Electronic Rearview Mirror System paired with the FHD846/FHD847 complies with UN ECE R46 regulation, providing exceptional visibility and safety.

### 【Pedestrians & Vehicle Detection and Warning】

It can identify pedestrians and vehicles such as cyclists, electric bikers, and pedestrians on foot. Pedestrian and vehicle detection and warning function.

### 【Two-in-one that combines in-vehicle DVR and monitor】

A major upgrade of invehicle monitor! It can record and replay driving videos. With built-in G-sensor, support G-sensor alarm recording triggered by collision detection. All of these functions can help you free from unreasonable damage and responsibility.

### 【1080P high definition video】

Support 2-channel camera input, provide split-view image; can be perfectly integrated with the rearview system to achieve comprehensive vehicle monitoring.

### 【3s output speed】

Quick turn-on, start displaying images and recording videos within 3 seconds after powered.

### 【IPS screen】

High contrast, high brightness. It could restore the true color, presenting the brighter and more delicate display with much higher resolution.

### 【Replacement for Traditional Rearview Mirror】

Having solved the problems of being poor visibility at night, susceptible to rainy, snowy and foggy weather and having strong reflection, etc. on traditional rear-view mirrors.

### 【Data security】

ACC time-lapse recording; super capacitor power-down protection, to prevent the loss of video data.

## STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)



## Specification

|                            |                                                                         |
|----------------------------|-------------------------------------------------------------------------|
| LCD Dimension              | 12.3"                                                                   |
| Resolution                 | 1920x 3 (RGB) x 720                                                     |
| Brightness                 | 1000cd/m2                                                               |
| Contrast                   | 1000: 1                                                                 |
| Viewing Angle              | U: 85, D: 85, L: 85, R: 85.                                             |
| Aspect Ratio               | 24: 9                                                                   |
| Video Input                | 4-channel camera input, support mutiple resolutions ( 1080P25/1080P30 ) |
| Storage                    | SD Card, MAX 512GB                                                      |
| Operating temp. & humidity | -20~+70℃, RH90%MAX                                                      |
| Storage temp. & humidity   | -30~-+80℃, RH90%MAX                                                     |
| Power Consumption          | Max.32W (with cameras)                                                  |
| Power Supply               | 10-32V                                                                  |
| Anti-vibration             | ISO 16750-3 2012 (2.13G)                                                |

### STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: [sales@stonkam.com](mailto:sales@stonkam.com)

Website: [www.stonkam.com](http://www.stonkam.com)

