

2.4GHz 1080P Digital Wireless Backup Camera with Auto Shutter



—— Model No.: HDW835M ——

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Features

- The open transmission distance is as far as 984ft, and the signal is stable and anti-jamming. Even in high-speed or long-distance operation, the monitor will display the surrounding environment in real time, making your driving or operation more convenient without interference, flicker, blur or delay.
- With auto shutter for better protection of lens, suit to use in bad environment such as sandy or heavily snowy weather
- strong magnetic base and easy installation
- Convenient camera power supply by a rechargeable battery
- The device also has night vision function, which provides you with a clear vision for 24 hours.
- Waterproof: IP69K; Anti-vibration: 5.9g
- Lens Angle: 35° /50° /70° /100° /130° /150° /170° (depending on models)
- IR cut filter optional, Auto heater optional, Audio optional
- Working temperature -20° ~70° , able to work normally in harsh environment

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



Specification

Image Device	1/2.9" CMOS
Effective Pixels	1920 (H) x 1080 (V)
Signal to Noise Ratio	38dB
White Balance	Auto
BLC	Auto
Dynamic Range	81dB
Operation Frequency	2408MHz-2478MHz
Transmission Distance (Barrier Free)	300m(Max)
Receiving Sensitivity	-78dBm
Video Code	H.264
Transmission Power	FCC: ≤26dBm CE: ≤20dBm MIC: ≤10dBm
Modulation	FHSS
Delay	130ms
RF Bit Rate	12Mbps
Operating Temp. & Humidity	-20℃ ~ 70℃, RH95%MAX.
Storage Temp. & Humidity	-30℃ ~ 80℃, RH95%MAX.
Minimum Illumination	0Lux/0.1Lux
Power Supply	DC10-32V
Power Consumption	Day: 1.8W-2.5W Night: 3.6W-4.3W
Night Vision Distance	NO IR LED/8-10m/12-15m/20-25m
Waterproof Rating	IP69K
Audio	Optional
Viewing Angle	35°/50°/70°/100°/130°/150°/170°
Heater	Optional

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com



IR-Cut Function	Optional
Image Mode	Mirror/Normal

STONKAM CO., LTD

Add.: 101, Building 6, No.1 Ruihua Road, Tianhe District, Guangzhou Guangdong, P. R. China.

Tel.: +86 20 6667-0988 Fax.: +86 20 6667-0977

E-mail: sales@stonkam.com

Website: www.stonkam.com

